

# Hard Hit Promotions

## NEW 2021 STOCK CLASS

Location and Date: Lancaster, WI. June 26<sup>th</sup>

**\*STOCK Mini Trucks and Mini Vans will run together.**

**\*STOCK Mid-size cars separate.**

### THINGS TO MAKE NOTE OF:

**DO NOT DO SOMETHING THAT YOU THINK YOU CAN BECAUSE IT'S NOT IN THE RULES OR MAYBE YOU COULD IN YEARS PAST. THANKS!**

**TYPES OF CARS:** Must be factory 4 cyl. Or 6 cylinders 1980 and newer. No Full-Tube Frames

**\* STOCK CLASS Mini Trucks and Mini Vans-** S10, Rangers, mini vans, etc, Call for questions about vehicles.

**\*STOCK CLASS Midsize:** Must be factory 4 cyl. or 6 cylinders 1980 and newer. No Full-Tube Frames

**PAYOUTS:** Guaranteed \$400 for first place in both classes.

### REGISTRATION AND INSPECTION

- Registration and inspection closes 1 hour before the show starts! **There is a \$20 late fee if we have time to get you inspected. Do not think you will pay the money and be good to go. We still have to start the show on time.**
- **GET REGISTERED WHEN YOU ARRIVE!** This makes it easier for the girls
- Anyone under the age of 18 needs a parent release and notary stamp. Need to have notary filled out before show. EVERYONE MUST HAVE A FORM OF ID. Check our website for pre-registration or stop in at West End Salvage to pick up a copy.
- **All hoods must be open for inspection and trunks need to open or have an inspection hole**

### DRIVER ENTRY FEES

- \$50 for one derby vehicle and driver pit pass CASH ONLY!

### PIT PASS

- \$20 CASH ONLY
- No one under 18 is allowed in the pits unless you're a driver!

# Hard Hit Promotions

## STOCK CLASS

### OFFICIALS DECISIONS

- **WHAT THEY SAY IS FINAL!** If it's not in the rules, it's not legal. Any car considered dangerous or unfair will be rejected. Any reinforcement exposed after running your heat will result in disqualification. Upon running your heat if I feel your car has been altered I will torch holes where necessary to investigate. If your car is found to be cheating you will forfeit all winnings and your car will not be put back together. Reinforcing, modifications, or alterations to any vehicle is not allowed unless specified in the rules. Anything done that would be considered to strengthen the vehicle beyond its original equipment part is not allowed.

**PPE:** Seatbelt, helmet, pants, shirt, and boots or shoes are mandatory.

**RADIATORS:** Factory radiator must be in original position containing water.

**GLASS/PLASTIC/TRASH:** Windows, headlights; taillights must be removed prior to arrival at the fairgrounds. **No trash allowed in vehicles.** Please pickup your pit at the end of the night.

**WINDSHIELD:** Must be removed and then have 2 straps or chains must be bolted vertically from roof to hood area to help protect driver.

**GAS TANKS:** Factory gas tank must be completely removed. The tank from under the car can be used as long as it doesn't leak OR a small steel tank OR plastic tank enclosed in a steel case can be used. **MUST BE LOCATED BEHIND DRIVER.** Must be securely fastened to floor. **ANY LEAKING FUEL WILL RESULT IN IMMEDIATE DISQUALIFICATION,** fuel-injected car have to use high-pressure fuel lines or steel lines. Must have approved fuel line (no heater hose, garden hose, vacuum line etc.)

**BATTERY:** One stock automotive battery or one larger battery of your choice is permitted. Battery used must be **SECURELY** fastened to floor in and covered in front passenger area of car.

**TRAILER HITCHES:** and braces must be completely removed from vehicle.

**TRANSMISSION:** Transmission loops allowed. Homemade shifters that are fastened directly to transmission are allowed.

**Engines:** Motor mounts must be stock with the stock engine from the factory.

**ROOF FLAP #** Cars can be decorated in any manner within the limits of good taste. No obscenity. Use a number of your choice. **Driver's door must be contrasting color to rest of car. EXAMPLE black door with a white number** Car number must be on driver door, passenger door, and on a **MANDATORY 12"X12" minimum roof flap mounted to the top of the car.**

**FRAME/BODY:** No welding on frame or body seams – **Body mounts and bolts must remain stock.**

# Hard Hit Promotions

**BUMPERS:** Must be the stock bumper from that vehicle. Impact bumpers may be pushed all the way in and welded. NO EXCESSIVE WELDING ALLOWED. **Must chain bumper, both front and rear of vehicle.** One chain no bigger than 5/16" on each side of bumper, not to exceed 36" in length. Chains may be bolted or welded to frame. NO adding any additional material to bumpers **No loaded bumpers.**

**FENDERS:** May be trimmed with a torch. NO welding, doubling up fenders, or added reinforcement. NO Body creasing is allowed.

**HOODS:** ONE of the following choices - 2 chains, wires **OR** threaded rods. If using threaded rods, they may go to the frame or through the body bolts in front core support. Threaded rod may be bolted or welded to the frame, max 3 nuts per rod and may not exceed 3/4" in diameter. You must cut a 3"-6" hole on each side of the motor in the hood for fire extinguishing. **NO Spacers to increase body height from frame anywhere on car.**

**DOORS:** **You may only use 1 of 2 choices** 2 chains, 2 spots of #9 wire. Drivers door may be welded all the way around. If door opens during heat you will be disqualified.

**TRUNKS:** **You may only use 1 of 2 choices** 2 chains, 2 wires, threaded rods to secure trunk lid. Threaded rods may be secured to frame of vehicle by bolting or welding. Threaded rod may not exceed 3/4" diameter. Maximum of 3 nuts per threaded rod. You may dish your trunk.

**STATION WAGON:** No welding tailgates. Tailgates may be secured with 2 chains or wire straps. Chains or wire straps not to exceed 30" in length. Absolutely no threaded rods allowed in rear of any station wagon.

**SAFETY BARS:** **1 Bar** may be mounted horizontally from post to post up to behind driver's seat. **This bar can be mounted 12 inches behind the factory seat setting or max 12 inches behind the center of the driver's doorpost.** Must be mounted 3" up or down from center of seat. Bar used square or round 2" to 4" in diameter. Plates used up to 6"x6"" may be used to mount seat bar on the inside post or on the outside of the doors. Mandatory: pipe used behind seat must have at least 1 safety chain or 2 chains max around it and secured through the floor for safety. The chain can go around the frame.

**STEERING COLUMN:** Must remain stock

**TIRES:** Mini Rods may only use tires with a Maximum inch allowance of 30" No ply restrictions. DOT approved only. Tires deemed unsafe will be rejected. No fluid filled tires.

**SUSPENSION:** Must remain stock. No welding.

**IF the vehicle does not fit the rules it will go in with the Mini-Rods (medium build)**

**ANY QUESTIONS CONTACT:** Danny Bishop at (608)-732-1481 or (608) 723-4523. Leave a message with a clearly stated name and number, THANKS!